





Office: F-126, (Lower Basement), Katwaria Sarai, New Delhi-110 016 Phone: 011-26522064 
Mobile: 81309 09220, 97118 53908 Email: info.publications@iesmaster.org, info@iesmaster.org Web: iesmasterpublications.com, iesmaster.org



# **IES MASTER PUBLICATION**

F-126, (Lower Basement), Katwaria Sarai, New Delhi-110016
Phone: 011-26522064, Mobile: 8130909220, 9711853908
E-mail: info.publications@iesmaster.org
Web: iesmasterpublications.com

### All rights reserved.

Copyright © 2023, by IES MASTER Publication. No part of this booklet may be reproduced, or distributed in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise or stored in a database or retrieval system without the prior permission of IES MASTER Publication, New Delhi. Violates are liable to be legally prosecuted.

First Edition	:	2016
Second Edition	:	2017
Third Edition	:	2018
Fourth Edition	:	2019
Fifth Edition	:	2020
Sixth Edition	:	2021
Seventh Edition	:	2022
Eighth Edition	:	2023

### PREFACE

The Graduate Aptitude Test in Engineering (GATE) is an All-India examination administered and conducted in eight zones across the country by the GATE Committee comprising of Faculty members from IISc, Bangalore and other seven IITs on behalf of the National Coordinating Board, Department of Education, Ministry of Human Resources Development.

The GATE score/rank is used for admissions to Post Graduate Programmes (ME, M.Tech, MS, direct PhD) in institutes like IIT and IISc, etc. with financial assistance offered by the Ministry of Human Resource Development. PSUs too use the GATE scores for recruiting candidates for various prestigious jobs with attractive remuneration.

The door to GATE exam is through previous year question papers. If you are able to solve question papers in access of 10 years, you are sure to clear the GATE exam, and open new vistas of career and learning.

The **Civil Engineering GATE 2024** book from IES Master offers detailed topic-wise solutions for the past **37 years** question papers. The emphasis is clearly on the understanding of concepts and building upon a holistic picture. So as you finish a topic, for instance, Strength of Materials, you will find all the previous years' question papers with detailed explanation under that particular topic.

The approach has been to provide explanation in such a way that just by going through the solutions, students will be able to understand the basic concepts and will apply these concepts in solving other questions that might be asked in future exams.

Every care has been taken to bring an error-free book. However, comments, suggestions, and feedback for improvement in the future editions are most welcome.

IES Master Publication New Delhi

### CONTENT

1.	Engineering Mechanics07	1 – 08
2.	Strength of Materials09	9 – 94
3.	Structural Analysis	- 181
4.	Construction Materials and Management 182	- 193
5.	RCC Structure and Pre-Stress Concrete 194	- 269
6.	Design of Steel Structure	- 323
7.	Soil Mechanics	- 512
8.	Fluid Mechanics	-632
9.	Engineering Hydrology633 ·	-673
10.	Irrigation Engineering674 ·	- 702
11.	Environmental Engineering	- 809
12.	Transportation Engineering	- 899
13.	Geomatics Engineering	- 934
14.	Engineering Mathematics	1032
15.	General Aptitude 1033 –	· 1072
16.	English 1073 –	1084



# **UNIT-1** ENGINEERING MECHANICS

## SYLLABUS

**Engineering Mechanics:** System of forces, free-body diagrams, equilibrium equations; Internal forces in structures; Frictions and its applications; Centre of mass; Free Vibrations of undamped SDOF system.

# CONTENTS

Chapter No.	Topic Page No.
1.	Engineering Mechanics
2.	Free Vibrations of undamped SDOF system

# **ENGINEERING MECHANICS**

### 1- Mark

 An assembly made of a rigid arm A-B-C at end A and supported by an elastic rope C-D at end C is shown in the figure. The members may be assumed to be weightless and the lengths of the respective members are as shown in the figure.



Under the action of a concentrated load P at C as shown, the magnitude of tension developed in the rope is



2. A horizontal force of P kN is applied to a homogeneous body of weight 25 kN, as shown in the figure. The coefficient of friction between the body and the floor is 0.3. Which of the following statement(s) is/are correct?



- (a) The motion of the body will occur by overturning.
- (b) Sliding of the body never occurs.
- (c) No motion occurs for  $P \leq 6$  kN.
- (d) The motion of the body will occur by sliding only.

#### [GATE-2022 SHIFT-I]

 A uniform rod KJ of weight w shown in the figure rests against a frictionless vertical wall at the point K and a rough horizontal surface at point J. It is given that w = 10 kN, a = 4 m and b = 3 m.



The minimum coefficient of static friction that is required at the point J to hold the rod in equilibrium is \_\_\_\_\_ (round off to three decimal places)

#### [GATE-2022 SHIFT-II]

4. A wedge M and a block N are subjected to forces P and Q as shown in the figure. If force P is sufficiently large, then the block N can be raised. The weights of the wedge and the block are negligible compared to the force P and Q. The coefficient of friction (μ) along the inclined surface between the wedge and the block is 0.2 all other surfaces are frictionless. The wedge angle is 30°.



4

GATE SOLVED PAPER 1987-2023

	ANSWER KEY	
1 Mark : –	: : 2 Marks :	<b>6.</b> (a)
	2. (a, c)	<b>7.</b> (d)
1. (0)	3. (0.375)	<b>8.</b> (d)
	<b>4</b> . (c)	<b>9.</b> (5.5 m/s)
	<b>5.</b> (a)	

### **EXPLANATIONS**



**2.** (a, c)



Motion of block will occur in two ways, the block may slide to the left or it may tip about edge O.

Case-I: Checking motion of block in sliding

 $\Sigma F_x = 0$   $P - F_s = 0$   $P = F_s$ and  $\Sigma F_{v} = 0$ 

N - W = 0

N = W = 25 kN

So, force due to friction ( $F_s$ ) =  $\mu N$ 

Hence sliding will occur at 7.5 kN.

Case-II: Checking motion of block against tipping (over turning)

$$\Sigma M_{O} = 0 \qquad \bigoplus_{A}$$

$$-P \times 2 + W \times 0.5 = 0$$

 $2 \times P = 25 \times 0.5$ 

P = 
$$\frac{25 \times 0.5}{2} = 6.25$$
 kN

Block will overturn at P = 6.25 kN

As it not mentioned that load is increased gradually, hence

(i) for P < 6.25 kN, No motion occurs

(ii)  $6.25 \le P < 7.5$  kN, motion of block will occur by overturning only

(iii) For P > 7.5 kN, motion of block will occur both by sliding and overturning.

Hence, option (a), and (c) are correct.





4. (C)



 $\sum F_v = 0$  on block

 $N_2 \sin 60^\circ - 0.2 N_2 \sin 30^\circ - Q = 0$  $Q = 0.766 N_2$ ...(i)

Putting in wedge

$$\sum F_x = 0$$

 $0.2 N_2 \cos 30^\circ + N_2 \cos 60^\circ - P = 0$  $P = 0.67 N_2$  $P = 0.67 \times \frac{Q}{0.766}$ or = 0.875 Q = 0.9Q= 0.9 α ÷.

5. Let the bar OJ is inclined at ' $\theta$ ' with (a) horizontal.

### **ENGINEERING MECHANICS**

5



According to the assembly, the weight W = 90kN must be equal to vertical component of force in member 'OJ'.

Hence  $F_{OJ} \sin \theta = 90 \text{ kN}$ 

$$5$$

$$3 \quad \frac{\sin \theta = 3/5}{\cos \theta = 4/5}$$

$$\Rightarrow F_{OJ} = \frac{90}{0.6}$$

$$\Rightarrow F_{OJ} = 150 \text{kN}$$

Now at 'O', horizontal component of reaction,  $H_0 = F_{OJ} \cos \theta = 150 \times 0.8$ 

$$\Rightarrow$$
 H<sub>0</sub> = 120 kN

 $\Rightarrow$ 



Let us give angular displacement to members RI and RL an amount ' $\theta$ ' as shown.

Due to which the resulting displacements are